

E9090 65" Tablet All-in-one Interactive flat panel



Features:

Features:

- Efficient consultation platform comes with Android consultation system, which can upgrade the platform configuration, install OPS terminal computer on the back, and switch between multiple systems at will;
- Support direct demonstration after connecting U disk, truly achieve efficient meeting and simplify the complexity;
- Built-in 16 megapixel camera;
- 8 array microphones with a maximum pickup distance of 6 meters;
- One-click all-channel annotation: One-click annotation can be made on any channel screen, the annotation content can be saved, and two-dimensional code can also be generated to scan and take away;
- One-key all-channel switching, pull the menu on the left and right sides, and you can touch and click the channel switching with one key;
- Basic function modules of the conference platform such as electronic whiteboard, document presentation, VIP reception and wireless interaction are applied with one key;
- Switch the desired signal source channel picture with one key, and support remote control channel switching;
- One-click customization to add applications;
- One key to open screenshot, screen recording, mobile phone screen transmission, calendar viewing, log recording, timer and photo function;
- One-button start energy-saving off backlight function;
- Ultra-narrow frame single side 22 mm design;
- Front-mounted 1-channel USB 3.0 and 1-channel USB 2.0;
- RS232 interface, supporting remote control and central control;
- Boot channel memory function, floating menu customization function, sidebar hidden function;
- 4K ultra-high definition display screen, powerful picture quality, gorgeous and transparent;
- Simultaneous four-screen wireless screen transmission, more smooth; support type-c screen transmission; reverse control, two-way control, more freely; scanning screen transmission, more efficient;
- The efficient consultation platform supports reverse and bidirectional control functions. It can control computers and other terminal devices on the consultation platform, and

display them on the terminal for bidirectional transmission, so as to improve the use efficiency and ensure the high efficiency of the meeting.

- Built-in 4-screen transmission, supporting mobile phone, PAD and computer, while 4-screen hybrid transmission, reverse control;
- 4 high-frequency applications, conference whiteboard, document management, VIP reception, multi-screen interaction, round button design, double-row layout, efficient call;
- Anti-glare AG glass, smooth writing, and avoid mirror effect, so that the venue is high-end, efficient consultation;
- Support external signal source, plug and display, automatic identification;
- Efficient consultation platform supports writing interaction function, with intelligent writing whiteboard, and can make handwritten annotations in any open interface, so as to accurately communicate and grasp the details of meeting communication;
- Connect to the Android motherboard through a network cable, which can realize the output of network signals from another network port, and provide network signals to the OPS box at the same time, without connecting multiple network cables;
- In the process of consultation, whiteboard documents, pictures, audio and video files can be annotated, and two-dimensional codes can be generated with one key, scanned and transmitted to the terminal, saved and taken away.

Android motherboard parameters:

Motherboard solution	mlogic 982
CPU	Cortex A73*2 A55*4 1.5GHz
RAM	4GB
Memory	32GB
System	Android system
Front port	USB2.0*2
Rear port	HDMI * 2, HDMI OUT * 1 (optional), USB 2.0 * 2, AV in * 1, RJ45 * 2, VGA in * 1, VGA Audio * 1 RS232 * 1, SPDIF out * 1 Earphone * 1 Touch USB-B * 1
Audio	Support MPEG1/2 layer I/II, AAC-Lc, WMA and other formats
Video	Support MPEG-2/4, AVS, H.264, H.265, TS, Realmedia and other video formats
Picture	Support JPG, BMP, PNG and other image formats

65-inch specification parameters:

Size	65"
Bare metal dimensions	1485*888*83mm
Display area	1428mm(H)×803mm(V)
Dot pitch	0.372 x 0.372mm
Optimal resolution	3840 (H) ×2160 (V) (UHD)
Brightness	300cd/m ²
Contrast	1200:1 (Typ.) Transmission
Viewing angle	178°,178°
Response time	8ms

Display color	10bit/1.07 Billion
Backlight	DLED
Screen life	50000 hours
Speaker	2*8Ω10W
Power	≅ 180W
Operating voltage	100V-240VAC,50/60Hz
Net weight	32Kg
Packing G.W	38Kg
Packing size(mm)	1605*195*1010